

[illegible]

Black Connector Population

Gray Connector Population

ECU Side (back)

Lock			3	4	5		7	8					13
	14		16		18	19	20	21					26
	27	28	29		31	32		34				38	39

ECU Side (back)

	2	3	4			7	8	Lock
	10	11		13		15	16	
17	18	19		21		23		


PNP Side (back)

Lock	27	28	29		31	32		34				38	39
	14		16		18	19	20	21					26
			3	4	5		7	8					13

PNP Side (back)

17	18	19		21		23		Lock
	10	11		13		15	16	
	2	3	4			7	8	

EMU Classic



ECU Side (back of connector)

Lock		2		4			7	
		10		12		14	15	16
	17	18		20	21		23	24

Map Sensor port

ECU Side (back of connector)

	2	3	4			7	8	Lock
	10	11		13		15	16	
17	18	19		21		23		

PNP Side (back of connector)

Lock	24	17	18		20	21		23					
	16		10		12		14	15					
			2		4			7					

PNP Side (back of connector)

17	18	19		21		23		Lock
	10	11		13		15	16	
	2	3	4			7	8	

Numbers represent EMU Classic pin numbers

Map sensor part number calibration					
TN079800-4250-(H23 engine)			TN079800-3280-(HD15 and D16 engine)		
Volts	Pressure				
0.2	0	Min			
0.37	10				
0.61	20				
0.7	30				
1.2	40				
1.49	50				
1.75	60				
2.29	80				
2.86	100				
3.45	120				
3.71	130				
4.04	140				
4.31	150				
4.59	160				
4.84	170	Max			